Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 8, June 18, 2015

For the Period June 9 to 15, 2015

Much of the province received scattered rainfall that helped replenish topsoil moisture conditions in some regions. However, significant rain is needed soon in many areas to help crops, hay and pasture develop.

One year ago
Producers had 95 per cent of the crop in the ground. Cool weather and heavy rain delayed crop development in much of the province.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Topsoil moisture conditions continue to deteriorate despite the recent rain. Provincially, topsoil moisture conditions on cropland are rated as three per cent surplus, 45 per cent adequate, 35 per cent short and 17 per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 33 per cent adequate, 42 per cent short and 24 per cent very short. Much of the hay is in poor condition and concerns about feed shortages continue. The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products: http://www.agriculture.gov.sk.ca/FeedForageListing#bmk

Crop development is delayed in some areas, mainly due to cool and dry weather. Fifty-one per cent of fall cereals, 60 per cent of spring cereals, 53 per cent of oilseeds and 56 per cent of pulse crops are at their normal developmental stages for this time of year. The majority of crops are in fair to good condition. Crop damage was mainly caused by lack of moisture, hail and insects such as grasshoppers and flea beetles.

Farmers are busy controlling pests and hauling grain.

Saskatchewan Crop Insurance Corporation - June 2015

Crop Insurance customers should note the following important dates:

- Establishment Benefit claims are to be submitted by June 20 as are claims for crops that fail to establish due to gopher damage.
- Full yield loss coverage for established spring and fall seeded crops begins on June 21.
- Seeded Acreage Reports and Stored Grain Declarations must be submitted by June 25.
- The deadline to submit Unseeded Acreage claims is also June 25. Claims must be registered with your local Crop Insurance office.
- For honey producers enrolled in Crop Insurance, June 25 is the deadline to submit the Hive Reporting form and Stored Honey Report. This is also the deadline to endorse overwintering insurance for the Bee Mortality Insurance Pilot Program.
- The deadline to seed greenfeed crops covered by forage insurance is June 30, with all establishment and gopher damage claims on greenfeed to be submitted by this date.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

SE SK Crop Development - June 15			
	% Ahead	% Normal	% Behind
Fall Cereals	24	51	25
Spring Cereals	15	45	40
Oilseeds	8	48	44
Pulse Crops	5	42	53

Small amounts of rain were received in much of the region, helping to replenish dry topsoil moisture conditions in some areas. However, more rain is needed soon to allow for crop, hay land and pasture development to continue. A storm moved through the region bringing damaging hail and strong winds. The Stoughton area received 21 mm of rain while the Frobisher area has received 132 mm of rain since April 1. This is the greatest amount for both the region and the province.

Topsoil moisture conditions continue to deteriorate despite recent rain. Cropland topsoil moisture conditions are rated as eight per cent surplus, 55 per cent adequate, 31 per cent short and six per cent very short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 58 per cent adequate, 34 per cent short and four per cent very short. Crop District 2B is reporting that 15 per cent of cropland and 18 per cent of hay land and pasture is very short topsoil moisture. Feed shortages are a concern in the region and many hay crops have prematurely headed out. Rain and warm weather is needed in much of the area to improve conditions.

Crop development has been delayed in much of the province and many fields have varying crop stages due to uneven emergence. Fifty-one per cent of fall cereals, 45 per cent of spring cereals, 48 per cent of oilseeds and 42 per cent of pulse crops are at their normal developmental stages for this time of year. The majority of crops in the region are in fair to good condition. Most crop damage was caused by lack of moisture, hail, wind and insects such as flea beetles. Producers continue to spray weeds as weather and crop development allows.

Farmers are busy controlling pests, hauling grain and getting ready for haying in areas with adequate plant growth.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

SW SK Crop Development - June 15			
	% Ahead	% Normal	% Behind
Fall Cereals	51	42	7
Spring Cereals	10	67	23
Oilseeds	8	55	37
Pulse Crops	15	61	24

A storm brought damaging hail and strong winds to parts of the region. Some crops have been severely damaged while others are expected to outgrow the damage. Small amounts of rain were welcomed in the region, although it was not enough in most areas to replenish the dry topsoil. Significant

rain is needed soon to help crops, hay and pasture develop. The Richmound area reported 27 mm of rain while the Eyebrow area has received 95 mm of rain since April 1.

Despite the rain, topsoil moisture conditions are rapidly deteriorating. Cropland topsoil moisture conditions are rated as 27 per cent adequate, 43 per cent short and 30 per cent very short. Hay land and pasture topsoil moisture conditions are rated as 12 per cent adequate, 44 per cent short and 44 per cent very short. Crop Districts 4A and 4B are reporting that 54 per cent and 50 per cent, respectively, of cropland acres are very short topsoil moisture. CD 4A is also reporting that 78 per cent of hay land and pasture is very short topsoil moisture. Feed shortages remain a concern for livestock producers as pastures are in bad shape and hay crops have prematurely headed out. There is little to no feed available in the region and there are several reports that producers are travelling long distances and paying a premium to acquire supply.

Crop development is delayed for much of the region and many fields have varying crop stages due to uneven emergence. Forty-two per cent of fall cereals, 67 per cent of spring cereals, 55 per cent of oilseeds and 61 per cent of pulse crops are at their normal developmental stages for this time of year. The majority of crops in the region are in fair to good condition. Most crop damage was caused by lack of moisture, hail, wind and insects such as flea beetles and grasshoppers. There have also been reports of frost earlier in the week, although damage appears to be minimal. Producers continue to spray weeds as weather and crop development allows.

Farmers are busy controlling pests and getting ready for haying in areas with adequate plant growth.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Varying amounts of rain fell in the region helping to replenish dry soil conditions in many areas. However, more rain will be needed soon to help crops, hay and pasture develop. The Rose Valley area received 63 mm of rain, bringing the total received since April 1 to 112 mm. There are several reports of hail, strong winds and light frost damaging crops.

EC SK Crop Development - June 15

	% Ahead	% Normal	% Behind
Fall Cereals	11	74	15
Spring Cereals	5	67	28
Oilseeds	2	56	42
Pulse Crops	4	71	25

The recent rain slightly improved cropland topsoil moisture conditions in some areas, although hay land and pasture topsoil moisture conditions are deteriorating. Topsoil moisture conditions on cropland are rated as five per cent surplus, 55 per cent adequate, 35 per cent short and five per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 43 per cent adequate, 47 per cent short and nine per cent very short.

Emerged crops are slow to develop and much of the re-seeded canola crops remain small. There are also varying stages of crop in many fields, making pesticide application timing difficult. Seventy-four per cent fall cereals, 67 per cent of spring cereals, 56 per cent of oilseeds and 71 per cent of pulse crops are at their normal developmental stages for this time of year. Most crops in the region are in fair to good condition, although rain and warm weather is needed. The majority of crop damage was caused by lack of moisture, flea beetles, hail and frost. Producers are spraying weeds as weather and crop development allows.

Farmers are busy controlling pests and hauling grain.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

WC SK Crop Development - June 15

	% Ahead	% Normal	% Behind
Fall Cereals	7	46	47
Spring Cereals	0	39	61
Oilseeds	0	38	62
Pulse Crops	1	48	51

Scattered showers brought much needed moisture to most of the region. However, topsoil moisture conditions remain very dry and additional rain is needed soon to help crops develop. There have been reports of strong winds, hail and frost damaging some emerged crops. Outlook received the greatest amount of rain for the region with 21 mm, bringing the total received since April 1 to 82 mm.

Topsoil moisture conditions are deteriorating and rain is needed for replenishment. Cropland topsoil moisture conditions are rated as 18 per cent adequate, 44 per cent short and 38 per cent very short. Topsoil moisture conditions on hay land and pasture are rated as 12 per cent adequate, 38 per cent short and 50 per cent very short. Feed shortages remain a concern for livestock producers as pastures are in bad shape and hay crops have prematurely headed out. Crop District 7A is reporting that 58 per cent of cropland acres and 70 per cent of hay land and pasture is very short topsoil moisture at this time. CD's 6B and 7B are reporting that the majority of cropland and hay land and pasture is either short or is very short topsoil moisture.

Crop development is delayed for much of the region and many fields have varying crop stages due to uneven emergence. Forty-six per cent of fall cereals, 39 per cent of spring cereals, 38 per cent of oilseeds and 48 per cent of pulse crops are at their normal developmental stages for this time of year. Most crops are in poor to good condition, with the majority of crop damage caused by lack of moisture and flea beetles. Producers continue to spray weeds as weather and crop development allows.

Farmers are busy controlling pests and hauling grain.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Rain was received helping crops develop and advance. More moisture will be needed across the region in the coming weeks. The Kinistino area received 55 mm of rain, bringing the total received since April 1 to 117 mm.

NE SK Crop Development - June 15			
	% Ahead	% Normal	% Behind
Fall Cereals	2	94	4
Spring Cereals	6	79	15
Oilseeds	3	76	21
Pulse Crops	2	90	8

Topsoil moisture conditions have greatly improved in the region. Topsoil moisture conditions on cropland are rated as one per cent surplus, 85 per cent adequate, 11 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as 84 per cent adequate, 13 per cent short and three per cent very short. Despite the welcomed moisture, feed shortages remain a concern for livestock producers as pasture growth is minimal and some hay crops have prematurely headed out.

Crop development is well advanced compared to the rest of the province. Ninety-four per cent of the fall cereals, 79 per cent of the spring cereals, 76 per cent of the oilseeds and 90 per cent of the pulses are at their normal developmental stages for this time of year. Most crops are in fair to excellent condition. The majority of crop damage was caused by localized flooding, wind, flea beetles and lack of moisture. Producers continue to spray weeds as weather and crop development allows.

Farmers are busy controlling weeds, hauling grain and getting ready for haying in areas with adequate plant growth.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Scattered showers were received in the region, bringing much needed moisture. However, in many cases it was not enough to replenish the topsoil and more moisture will be needed soon to help crops, hay land and pasture develop. The Barthel area received 25 mm of rain while the Hafford area has received 84 mm of rain since April 1. This is the greatest amount for the region.

NW SK Crop Development - June 15			
	% Ahead	% Normal	% Behind
Fall Cereals	0	65	35
Spring Cereals	0	74	26
Oilseeds	1	42	57
Pulse Crops	0	64	36

Topsoil moisture conditions have slightly worsened. Cropland topsoil moisture is rated as 51 per cent adequate, 39 per cent short and 10 per cent very short. Hay land and pasture topsoil moisture is rated as 26 per cent adequate, 55 per cent short and 19 per cent very short. Crop District 9B is reporting that 14 per cent of cropland acres and 20 per cent of hay land and pasture is very short topsoil moisture at this time.

Crop development is delayed due to lack of moisture, frost and re-seeding efforts. Sixty-five per cent of the fall cereals, 74 per cent of the spring cereals, 42 per cent of the oilseeds and 64 per cent of the pulse crops are at their normal developmental stages for this time of year. The majority of crops are in poor to good condition. There are several reports of frost that may have damaged some crops in the region. Feed shortages remain a concern for livestock producers as pasture growth is minimal and some hay crops have prematurely headed out.

Farmers are busy controlling pests and hauling grain.

Crop Condition Tables

Southeast							
	Winter	**Fall rye**	**Spring**	**Durum**	**Oat**	**Barley**	**Canaryseed**
% excellent	4	13	11	2	11	7	0
% good	47	56	55	32	59	56	44
% fair	45	26	28	59	25	32	51
% poor	4	5	6	7	5	5	5
% very poor	0	0	0	0	0	0	0
	Flax	**Canola**	**Mustard**	**Soybean**	**Pea**	**Lentil**	**Chickpea**
% excellent	3	3	3	10	2	0	0
% good	45	41	40	62	50	44	0
% fair	45	37	57	26	40	47	100
% poor	6	13	0	2	8	9	0
% very poor	1	6	0	0	0	0	0
Southwest							
	Winter	**Fall rye**	**Spring**	**Durum**	**Oat**	**Barley**	**Canaryseed**
% excellent	0	0	1	2	0	1	0
% good	15	7	39	44	48	35	46
% fair	64	6	52	47	52	60	40
% poor	13	22	8	7	0	4	14
% very poor	8	65	0	0	0	0	0
	Flax	**Canola**	**Mustard**	**Soybean**	**Pea**	**Lentil**	**Chickpea**
% excellent	1	0	0	0	2	2	0
% good	39	29	32	90	47	47	54
% fair	52	48	41	10	43	42	45
% poor	8	15	25	0	6	9	1
% very poor	0	8	2	0	2	0	0

East-central							
	Winter	Fall rye	Spring	Durum	Oat	Barley	Canaryseed
% excellent	14	22	4	4	4	4	5
% good	50	42	65	76	61	66	69
% fair	30	24	26	20	25	25	26
% poor	2	5	4	0	9	4	0
% very poor	4	7	1	0	1	1	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	5	3	1	0	6	5	0
% good	67	54	75	60	66	71	0
% fair	27	29	24	40	24	21	100
% poor	1	12	0	0	4	3	0
% very poor	0	2	0	0	0	0	0
West-central							
	Winter	Fall rye	Spring	Durum	Oat	Barley	Canaryseed
% excellent	0	0	3	4	1	3	0
% good	3	29	26	21	44	31	30
% fair	91	70	47	34	42	41	24
% poor	6	1	19	22	11	18	33
% very poor	0	0	5	19	2	7	23
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	0	0	0	4	6	0
% good	26	23	10	18	43	33	100
% fair	51	39	59	72	29	32	0
% poor	21	26	19	8	18	18	0
% very poor	2	12	12	2	6	11	0

Northeast							
	Winter	Fall rye	Spring	Durum	Oat	Barley	Canaryseed
% excellent	5	25	17	82	18	23	0
% good	57	55	67	18	64	61	20
% fair	38	20	13	0	18	16	24
% poor	0	0	3	0	0	0	33
% very poor	0	0	0	0	0	0	23
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	10	8	50	2	20	0	N/A
% good	63	62	50	78	72	50	N/A
% fair	25	26	0	17	8	0	N/A
% poor	2	4	0	3	0	0	N/A
% very poor	0	0	0	0	0	50	N/A
Northwest							
	Winter	Fall rye	Spring	Durum	Oat	Barley	Canaryseed
% excellent	10	2	5	N/A	1	0	0
% good	70	35	55	N/A	81	66	50
% fair	20	13	33	N/A	16	31	50
% poor	0	0	7	N/A	2	3	0
% very poor	0	50	0	N/A	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	4	0	N/A	9	0	N/A
% good	40	31	0	N/A	39	31	N/A
% fair	60	51	50	N/A	44	50	N/A
% poor	0	13	50	N/A	8	19	N/A
% very poor	0	1	0	N/A	0	0	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from June 9 to June 15, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 17, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period May 19 to 25, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	32
	3	Enniskillen	NIL	44
	33	Moose Creek	N/A	N/A
	34	Browning	N/A	34
	61	Antler	N/A	N/A
	63	Moose Mountain	NIL	56.3
	64	Brock	NIL	43
	65	Tecumseh	N/A	46.5
1B	91	Maryfield	NIL	90
	122	Martin	NIL	55
	123	Silverwood	NIL	58
	124	Kingsley	NIL	63
	125 A	Chester	NIL	59
	125 B	Chester	NIL	66
	151 A	Rocanville	NIL	N/A
	151 B	Rocanville	N/A	32
	154	Elcapo	NIL	36
	155 A	Wolseley	NIL	N/A
	155 B	Wolseley	N/A	56
2A	67	Weyburn	NIL	47
	68	Brokenshell	NIL	38
	97	Wellington	NIL	31
2B	127 A	Francis	NIL	41
	127 B	Francis	N/A	17.5
	129	Bratt's Lake	NIL	15.5
	131 A	Baildon	NIL	19
	131 B	Baildon	NIL	30
	156 A	Indian Head	NIL	33
	156 B	Indian Head	NIL	83
	157	South Qu'Appelle	N/A	NIL
	160 A	Pense	NIL	7
	161	Moose Jaw	NIL	53
	162	Caron	NIL	23
	191	Marquis	N/A	42
3ASE	38 A	Laurier	NIL	35.8
	38 B	Laurier	NIL	23
	39 A	The Gap	NIL	43
3ASW	10	Happy Valley	NIL	61
	12	Poplar Valley	N/A	78
	40 A	Bengough	N/A	N/A
	40 B	Bengough	NIL	28
	42	Willow Bunch	N/A	64
	43	Old Post	NIL	42.5
	70	Key West	N/A	N/A
	73 A	Stonehenge	NIL	61
	73 B	Stonehenge	N/A	48
3AN	101	Terrell	NIL	23
	102	Lake Johnston	NIL	28.3
	103	Sutton	N/A	44
	132 A	Hillsborough	1	75.5
	132 B	Hillsborough	NIL	42
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	NIL	68
	193 B	Eyebrow	NIL	83
	224	Maple Bush	N/A	N/A
3BS	17	Val Marie	N/A	30
	75 A	Pinto Creek	NIL	49
	75 B	Pinto Creek	N/A	43
	76	Auvergne	NIL	37
	77	Wise Creek	NIL	41
	78	Grassy Creek	NIL	57.5
	105	Glenbain	NIL	46
	106	Whiska Creek	NIL	34
	107	Lac Pelletier	NIL	22
	108	Bone Creek	NIL	28
3BN	138 A	Webb	NIL	29.5
	138 B	Webb	NIL	15.5
	166	Excelsior	NIL	28
	167	Sask. Landing	NIL	32.2
	168 A	Riverside	NIL	30
	168 B	Riverside	NIL	10.3
	226	Victory	N/A	38
	228	Lacadena	NIL	8
	257	Monet	NIL	3

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	NIL	29
	51	Reno	NIL	30
	79	Arlington	NIL	6
	109 A	Carmichael	NIL	46
	109 B	Carmichael	N/A	23.9
	110	Piapot	NIL	45
4B	139	Gull Lake	NIL	12
	142	Enterprise	NIL	2
	169	Pittville	N/A	N/A
	231	Happyland	NIL	2
	183 B	Fertile Belt	NIL	59
5A	186	Abernethy	N/A	13
	211	Churchbridge	NIL	37
	213	Saltcoats	NIL	35
	216	Tullymet	NIL	6
	241	Calder	NIL	27
	243	Wallace	NIL	46
	244	Orkney	NIL	18
	245 A	Garry	N/A	23
	245 B	Garry	NIL	14
	245 C	Garry	NIL	35
	246	Ituna Bon Accord	NIL	29
	247	Kellross	NIL	26
	248	Touchwood	N/A	26.6
	271	Cote	NIL	33
	273	Sliding Hills	NIL	16
	277	Emerald	1	36
5B	305	Invermay	NIL	40.5
	307	Elfros	NIL	31
	308 A	Big Quill	NIL	33
	308 B	Big Quill	NIL	22
	331	Livingston	NIL	23
	336	Sasman	NIL	22
	337	Lakeview	N/A	27
	338	Lakeside	NIL	23
	366	Kelvington	NIL	30
	367	Ponass Lake	N/A	41.5
6A	190 A	Dufferin	N/A	19
	190 B	Dufferin	NIL	35
	190 C	Dufferin	NIL	12
	190 D	Dufferin	N/A	24
	219 A	Longlaketon	NIL	30
	219 B	Longlaketon	NIL	16
	220	Mckillop	NIL	28
	221	Sarnia	N/A	55.9
	222	Craik	NIL	77
	251	Big Arm	NIL	58.8
	252	Arm River	NIL	64
	279	Mount Hope	N/A	36
	282	McCraney	NIL	60
	309	Prairie Rose	N/A	N/A
	312	Morris	NIL	15
	313	Lost River	N/A	61
	339	Leroy	0.2	44
	340	Wolverine	NIL	47
	341	Viscount	NIL	59
	343 A	Blucher	NIL	91.2
	343 B	Blucher	N/A	50
6B	254	Loreburn	N/A	N/A
	284	Rudy	NIL	55
	285	Fertile Valley	NIL	39
	286	Milden	NIL	29
	314	Dundurn	NIL	58
	344	Corman Park	NIL	25
	346	Perdue	NIL	13
	376	Eagle Creek	NIL	26
	403	Rosthern	NIL	26

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	NIL	13
	288	Pleasant Valley	NIL	19
	290 A	Kindersley	NIL	6.5
	290 B	Kindersley	NIL	3
	290 C	Kindersley	NIL	NIL
	292	Milton	N/A	8
	317 A	Marriott	N/A	11
	317 B	Marriott	NIL	24
	318	Mountain View	NIL	15
	320 A	Oakdale	N/A	26
	320 B	Oakdale	NIL	17
	321	Prairiedale	NIL	16.5
7B	347	Biggar	NIL	16
	350 A	Mariposa	NIL	9
	350 B	Mariposa	NIL	18
	351	Progress	NIL	14
	352	Heart's Hill	NIL	13
	377	Glenside	NIL	24
	378 B	Rosemount	NIL	15
	379	Reford	NIL	19
	381	Grass Lake	N/A	2.5
	382	Eye Hill	N/A	3
	409	Buffalo	N/A	14
	410	Round Valley	NIL	5
8A	395	Porcupine	NIL	16
	397	Barrier Valley	N/A	32.4
	428	Star City	N/A	53
	456	Arborfield	NIL	55
	457	Connaught	NIL	53.3
	486	Moose Range	NIL	41
	487	Nipawin	NIL	18
8B	369	St. Peter	NIL	34
	370 A	Humboldt	2	42
	370 B	Humboldt	NIL	55
	371	Bayne	NIL	50
	372	Grant	NIL	57.6
	400	Three Lakes	NIL	49
	402	Fish Creek	NIL	42
	429	Flett's Springs	NIL	29
	459	Kinistino	NIL	53
	460	Birch Hills	NIL	26.9
9AE	488	Torch River	NIL	37
	491	Buckland	N/A	N/A
	520	Paddockwood	NIL	33
	521	Lakeland	NIL	33
9AW	406	Mayfield	NIL	19
	435	Redberry	NIL	37
	436	Douglas	NIL	27
	463	Duck Lake	NIL	30.5
	467 A	Round Hill	NIL	22
	467 B	Round Hill	NIL	10
9B	438	Battle River	NIL	21
	440	Hillsdale	NIL	10.5
	442	Manitou Lake	0.8	12
	498 A	Parkdale	NIL	18.6
	498 B	Parkdale	NIL	5
	499	Mervin	NIL	14
	501 A	Frenchman Butte	N/A	32
	501 B	Frenchman Butte	NIL	16
	501 C	Frenchman Butte	NIL	10
	502	Britannia	NIL	3
	561	Loon Lake	NIL	27
	588 A	Meadow Lake	NIL	9
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	NIL	20
	588 D	Meadow Lake	N/A	N/A
	622	Beaver River	NIL	19.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

Cumulative Rainfall

from April 1 to June 15, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 17, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

June 15, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 17, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 15, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 17, 2015

© 2015 Government of Saskatchewan